

SpecBond, Inc.


3015 W. Cornelia Ave. Chicago, IL 60018 Phone: 773-967-0138 Fax: 312-268-5448 www.SpecBond.com

# PRODUCT DATA SHEET SB132W

## **Description**

SB132W is a 1/32" white closed cell cross-linked polyethylene foam coated on both sides with a rubber resin pressure sensitive adhesive covered with a white densified kraft release liner. Typical applications include bonding of two irregular surfaces that require gap filling.

#### Construction



#### **Feature and Benefits**

- Conformable to uneven surfaces (gap filling)
- Very high immediate bond strength
- Bonds well to irregular surfaces

### **Typical Properties** (not to be used for specification purposes)

Test	Test Method	Value (US)	Value (metric)
180° Peel Adhesion	PSTC-101	110 oz/inch	31 N/25 mm
Shear Adhesion	PSTC-7	2.0 @ 2.2 psi (hours)	2.0 @ 15.2kPa (hours)
Tack	ASTM D2979	980 oz/inch	270 N/25 mm
Dynamic Shear	S253	65 @ 1 min (psi)	448 @ 1 min (kPa)
Application Temperature		60-120°F	16-49°C
Service Temperature		0-150°F	-18-65°C

For maximum adhesion, bonding surfaces should be clean, dry and free from grease and oils. The firmer the application pressure and the greater the contact area, the stronger the bond.

IMPORTANT NOTICE TO PURCHASER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, expressed or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his or her intended use, and the user assumes all risk and liability whatsoever in connection therewith. No representative of ours has authority to waive or change the foregoing provisions, but, subject to such provisions, our engineers are available to assist purchasers in adapting our products to the needs and circumstances prevailing in their business.